



# Tysseer Services Trading Co.

[tysseer.com](http://tysseer.com)



# CEO



نؤمن بأن النجاح يبدأ بذهوة العميل

We believe that success begins with customer service

معتز ابو عنقر

## About US

تم بدء النشاط التجاري لشركة تيسير الخدمات للتجارة في عام ٢٠٠٩ كواحدة من الشركات التي تقوم بتوريد جميع أصناف الالكتروميكانيك الخاصة بالمشاريع الحكومية والخاصة ، ومنذ ذلك الحين والشركة في تقدم مستمر في السوق السعودي. يعكس تعاوننا مع المصانع الوطنية السعودية و الأوروبية والأمريكية والآسيوية مبادرة الشركة للتكيف مع الطلبات المتزايدة لعملائها المحليين والتي وفرت للشركة ميزة تنافسية في سوق العمل السعودي.

المقر الرئيسي للشركة في الرياض وكذلك مكتب المبيعات الرئيسي ، ولدينا صالات عرض في الرياض والدمام . نظرًا لانتشارها الواسع في السوق ، فإنها تلبى على نطاق واسع احتياجات المقاولين في مجال تكييف الهواء والتبريد في أنحاء المملكة العربية السعودية.

نتعامل مع أفضل الشركات العالمية بأفضل المواصفات القياسية التي تتناسب مع المواصفات المطلوبة والمعتمدة في السوق السعودي ، لأكثر من ١٦ عاما من التوريدات لمختلف المشاريع الحكومية والخاصة داخل المملكة.

Tayseer Services Trading Company started its business in 2009 as one of the companies that supply all types of electromechanical equipment for government and private projects, and since then the company has been making continuous progress in the Saudi market. Our cooperation with Saudi, European, American and Asian national factories reflects the company's initiative to adapt to the increasing demands of its local customers, which has provided the company with a competitive advantage in the Saudi labor market.

The company's headquarters are in Riyadh as well as the main sales office, and we have showrooms in Riyadh and Dammam. Due to its wide spread in the market, it widely meets the needs of contractors in the field of air conditioning and refrigeration throughout the Kingdom of Saudi Arabia.

We deal with the best international companies with the best standard specifications that match the required and approved specifications in the Saudi market, for more than 16 years of supplies for various government and private projects within the Kingdom.



## Our Vision

Maintaining our customers and acquiring new customers by supplying the best and most appropriate items in the Saudi market and adopting more distinguished items under the umbrella of our company and approvals of Saudi Authorities.

## Our Values

We strive to exceed expectations and be the best that we can be, maintaining the highest level of quality and building strong relationships and alliances to achieve success in the long term.

## Our Mission

To help contractors and companies to achieve their goals in their projects and supply them with the best fit genuine products in the Saudi Arabia market in the best delivery time.

# Practice area:



INTERPIPE



# Pipes



Origin	Ukraine
Standard	ASTM A53 / 106 Grade B
Scheduled	40&80 STD
Finishing	BLACK & GALVANIZED
Size	3/4 to 16"

NKKPIPE



Origin	China
Standard	ASTM A53 / 106 Grade B
Scheduled	40&80 STD
Finishing	BLACK & GALVANIZED
Size	1/2 to 24"

PIETRAPIPE

PIETRA S.P.A.



Origin	Italy
Standard	ASTM A53 / 106 Grade B
Scheduled	40& STD
Finishing	BLACK & GALVANIZED
Size	1/2 to 12"



## Jazeera Steel



Origin	Oman
Standard	ASTM A53 / 106 Grade B
Scheduled	40& medium
Finishing	BLACK & GALVANIZED
Size	1/2 to 8"



## UTPIPE



Origin	KSA/ China
Typ	Seamless / ERW
Standard	ASTM A53 / 106 Grade B
Scheduled	40& STD
Finishing	BLACK & GALVANIZED
Size	1/2 to 8"



## HYUNDAI PIPE



Origin	Korea
Standard	ASTM A 53 / A106
Scheduled	40& STD
Finishing	BLACK & GALVANIZED
Size	12 to 24"



# Fittings



## Hitachi



**Origin** | Thailand  
**Standard Class** | ANSI / ASTM A197  
 150 / 300

**Sizes** | 1/2" to 4"  
**Thread Finishing** | NPT & BS  
 Black & Galvanized



## BIS



**Origin** | Thailand  
**Standard Class** | ANSI / ASTM A197  
 150 / 300


**Sizes** | 1/2" to 4"  
**Thread Finishing** | NPT & BS  
 Black & Galvanized



## Benkan



**Origin** | China / Thailand  
**Standard Schedule** | ASTM A234 WPB / ANSI B16.9  
 40 & STD



## Kofco-Flanges



**Origin** | China / Taiwan  
**Standard** | ANSI / DIN 1.2-2/24

# Grooved Fittings

## Zurn Fittings



**Origin** | China/Usa  
**Standard** | ASTM A536  
**Class** | 150, 300 and 500

**Sizes** | 1/2 to 12

## GrovJoints Pipe Fittings



**Origin** | India  
**Standard** | ASTM A536  
**Class** | 150, 300 and 500

**Sizes** | 1/2 to 12

## National Fittings Ltd.



**Origin** | India  
**Standard** | ASTM A536  
**Class** | 150, 300 and 500

**Sizes** | 1/2 to 12

## JTPR Fittings




**Origin** | China/Taiwan  
**Standard** | ASTM A536  
**Class** | 150, 300 and 500

**Sizes** | 1/2 to 12



# HDPE



**Origin**  
**Standard**  
**Schedule**  
**Size Range**

Saudi Arabia  
ISO 4427 SDR 11  
PN 16  
3/4 to 16

**Origin**  
**Standard**  
**Schedule**  
**Size Range**

Turkey  
ISO 4427 SDR 11  
PN 16  
3/4 to 16

# Valves

## VIR



<b>Origin</b>	Italy
<b>Standard</b>	ANSI / AWWA
<b>Certification</b>	UL / FM Approved
<b>Manufacturer</b>	VIR Engineers & Contractors - Manufacturer of Tube Fittings
<b>Size Range</b>	1/2"-8"

## Watts Water Technologies



<b>Origin</b>	Taiwan
<b>Standard</b>	ASME B31.3 & ASME B31.1
<b>Connection</b>	Single Sphere Connection & Flange and Twin Sphere Connection & Union Thread

## Armflex - Flexible Rubber Joint



<b>Origin</b>	USA - other
<b>Standard</b>	ANSI / AWWA
<b>Certification</b>	UL / FM Approve
<b>Size Range</b>	1/2"-6"



# Hungers & Support System

## Item:

Clives hanger - swivel hanger - Pipeclamp - U.Bolt -  
Ustrap - Ruber insert - Threded Rod - Nuts - Washer

TST



Origin: India 

Standards: MSS-SP58 MSS-SP 69 ANSI

Size: 1/4 to 20

Hot/dip Galvanizeel/electro-Galvanizeel

Leader



Origin: India

Standards: MSS-SP58 MSS-SP 69 ANSI

Size: 1/4 to 20

Hot/dip Galvanizeel/electro-Galvanizeel

Tembo Seven Star




Origin: India

Standards: MSS-SP58 MSS-SP 69 ANSI

Size: 1/4 to 20

Hot/dip Galvanizeel/electro-Galvanizeel



# Copper Coils , Pipes , Fittings and Accessories



## Mueller Industries



Origin: USA

Cooper Tubes – Copper Coils

Line Set – Copper Flare Fittings

Joint Pressure Fittings

Type K and Type L

Standards: ASTM B88



## Trox



Origin: Korea

Refrigerant Tube / pipe is the only korean  
Manufaturer for both Copper tubes / fitting

Type K and Type L

Standards: ASTM B88

# Rubber Products



## Armacell Rubber

Origin: Bahrain/USA

Closed/Open cell flexible electromagnetic

Plain rubber - FRK/Alu facing

Standard : ASTM E96 ASTM E84 ASTM C518 ASTM G21

Thickness: 13mm to 110mm

Size: 3/8 :4"



**K-FLEX**

## K-Flex Rubber Insulation

Origin: UAE/Poland

Closed/Open cell flexible electromagnetic

Plain rubber - FRK/Alu facing - XLPE

Standard : ASTM E96 ASTM E84 ASTM C518 ASTM G21


Thickness: 13mm to 110mm

Size:3/8 :4"





# Fiber Glass Insulation



## Afico Fiber Glass Insulation

<b>Origin</b>	Saudi Arabia
<b>Standard</b>	ASTM E84 .ASTM C411 .BS 476
<b>Product Type</b>	Duct Pipe Insulation – Rigid (PI) Duct Building Roll (FDU) Duct Liner Insulation (DL)



## Kimmco Isover

<b>Origin</b>	Kuwait
<b>Standard</b>	ASTM E84 .ASTM C411 .BS 476
<b>Product Type</b>	Duct Insulation (KDI) Duct Liner (KCL) Duct Building Roll (KBR)



# Adhesives



## Craycoat Adhesives

Origin: UAE  
 CrayCoat 32 - 17  
 CrayCoat 30 - 36  
 CrayGlue 81 - 10  
 Color: whit/Gray  
 Zero VOC  
 fire retardant




## Star Fix Adhesives Industries

Origin: KSA  
 Anti-Bacterial Sealant DS 32 - 17  
 Star Bond 85 - 60  
 Color: White / Gray / Green / Black  
 UL listed



## Foster Adhesives

Origin: USE  
 Duct Sealant 32 - 17  
 Coating 30 - 36  
 Adhesive 81 - 10  
 COLOR: Light Gray / White / Green  
 Standard: ASTM E 84  
 Flame Spread: 5  
 Smoke Developed: 0



# Aluminium Foil Tape



## Abro Industries, Inc



<b>Origin</b>	USA
<b>Standard</b>	ASTM E84 / ASTM C1136
<b>Material</b>	Foil - FSK
<b>Length</b>	40 yards



## Aspin Tapes



<b>Origin</b>	UAE
<b>Standard</b>	ASTM E84 / ASTM C1136
<b>Material</b>	Foil - FSK
<b>Length</b>	25 / 30 / 40 yards



## Kflex Tapes




<b>Origin</b>	POLAND / EGY
<b>Standard</b>	ASTM E84 / ASTM C1136
<b>Material</b>	aluminum
<b>Length</b>	11.00 x 3.00 x 12.70 inches



# Flexible Duct

## Crayflex – Focus Air Conditioning Industries



**Origin**  
**Size Range**  
**R-Value**  
**Standard Configuration**

UAE  
 4 to 20  
 4.2, 6, and 8  
 UL 181 – Class 1  
 Flexible & Rigid –  
 Insulated & Uninsulated

**Crayflex®**

## Atco Flexible Duct (Insulated, Non-Insulated)




**Origin**  
**Size Range**  
**R-Value**  
**Standard Configuration**

UAE  
 4 to 20  
 4.2, 6, and 8  
 UL 181 – Class 1  
 Flexible & Rigid –  
 Insulated & Uninsulated



## CRAYFLEX – Flexible Connectors (Canvas)



**Origin**  
**Size Range**  
**Standard Materials**


UAE  
 2×3×2 – 3×4×3  
 UL 214 – ANSI/NFPA 720-2010  
 Polyester / Vinyl / Glassfibre /  
 Neoprene

**CRAYFLEX®**



# Aluminum Jacketing

## ITW / PABCO



**Origin**  
**Surface Finish**  
**Standards**  
**Thickness**  
**Length**

USA & UAE




Smooth - Stucco Embossed - X Crimped  
 Deep Corrugated - Box Rib Profile

ASTM B209

0.04 / 0.06 / 0.8 / 1.0 / 1.2

12 feet

## Paragon



**Origin**  
**Surface Finish**  
**Standards**  
**Thickness**  
**Length**

UAE




Smooth - Stucco Embossed - X Crimped  
 Deep Corrugated - Box Rib Profile

ASTM B209

0.04 / 0.06 / 0.8 / 1.0 / 1.2

12 feet

## Ttm



**Origin**  
**Surface Finish**  
**Standards**  
**Thickness**  
**Length**

ITALY



Rigid UV-ALU-PVC jacketing  
 film for insulation

ASTM B209

0.04 / 0.06 / 0.8 / 1.0 / 1.2

30 Meter

# Fire Rated Ductwork



## Crayseal



<b>Origin</b>	UAE
<b>Fire Rating</b>	2 hours at 3000°C
<b>VOC Content</b>	VOC Free
<b>Flame Spread Index</b>	25
<b>Smoke Developed Index</b>	50
<b>Bucket Volume</b>	As per product packaging



## Promat

## Promat

<b>Origin</b>	Austria
<b>Fire Rating</b>	2 hours at 3000°C
<b>VOC Content</b>	VOC Free
<b>Model</b>	SA-A
<b>Flame Spread Index</b>	25
<b>Smoke Developed Index</b>	50
<b>Bucket Volume</b>	As per product packaging




## Flamber




<b>Origin</b>	UK
<b>Standard</b>	2 hours at 3000°C
<b>Schedule</b>	VOC Free
<b>Finishing</b>	25
<b>Size Range</b>	50
	As per product packaging

# Aluminium Foil Tape



Angle Bar



U Channels



Threaded Rods



Nut , Bolt , Washer



Drop Anchors



Slotted Channels




Aluminum Strap



Corners




G-clamp



Self Pins



AC Stand Brackets




Diffuser Grill




**round diffuser**



**Access Hatch**




**Aluminum Filter**



**PVC Black Tape**



**410A Refrigerant**



**Brazing Rods**



**Welding Electrodes**



**Yellow Strap**



**Cotton Canvas Cloth**



**Jute**



**Permatex**



**Teflon Tape**



**Duct Mount**



**Cork Rubber Sheet (Anti-Vibration)**



**Fire-Sprinklers**

# Electrical & Industrial Material



KSA

Low Voltage Cables 1kV Copper and Aluminium, PVC and XLPE insulated, armoured

Cable MV (15kv /36kv ), and LV (1Kv) Unarmoured and Armoured cable Copper and Aluminium




KSA

Wire, NYA (450v/750v ) Roll= 100 Yard and THNN (AWG) (600v) Roll=500 ft




**Low Current Cables**   

Brands: B3 - Dotwyler -BELDEN  
 Data cable - Fire Alarm cables - Sound system cables - BMS cable - Co-Axial



**EMT Conduit**   

Brands: Panasonic- Alroof -ITCC  
 EMT conduits ,and Fitting (Flexible / Liquitide ) + RGS ,and Accessories



**junction box/EMT Boxes**  

KSA  
 junction box  
 Cable Tray & trunk & ladder



## PVC Conduit



Brands: Decoduct - EGA

PVC Conduits & Fittings, Cellular Boxes ,  
Accessories



## circuit breaker



Europe

circuit breaker: MCB/MCCB

AC disconnect switch



## Disconnect Switch



## Earthing & light arrestors



KSA

Earthing & light arrestors



## switch and sockets




Wiring Devices, Switches ,and Sockets

Brands: Al fanar & MK & algard



# PIPE Services



Pipe Threading



Pipe Grooving



anti-vortex & Vent



Galvanizing




Pipe cutting



puddle flange



# List Of Projects



# Authorized distributors for:





شركة تيسير الخدمات للتجارة  
Tysseer Services Trading Co

## CONTACT US



P : +966 54 050 3256  
+966 11 229 5840

E : [info@tysseer.com](mailto:info@tysseer.com)

w : [m.talaat@tysseer.com](mailto:m.talaat@tysseer.com)

King Fahad Rd, Al Wisham, Riyadh 12735  
, Saudi Arabia

Al Olya , Prince Mansour Ibn Abdulaziz  
Riyadh – Saudi Arabia

Al Nouayriah, Al Sina'iyah, Riyadh 11461,  
Saudi Arabia